


14. 輔件

輔件	頁次
壓力繼電器.....	14 - 2




APS 系列

壓力繼電器



連接插頭接線圖 (ISO 4400) :



型號說明 例 : APS 350-SODO-V-G0Q-EX

- APS 350-SODO-V-G0Q-EX** 系列號
- APS 350-SODO-V-G0Q-EX** 調壓範圍

5...55 bar	055
10...100 bar	100
40...240 bar	240
20...350 PSI	350
- APS 350-SODO-V-G0Q-EX** 連接形式

管式, 內螺紋 SAE-4	P0
板式	S0
板式 90° 安裝	SA
面板安裝式	F0
- APS 350-SODO-V-G0Q-EX** 調節形式

螺紋刀調節	D0
螺紋刀調節+ 鎖緊螺釘	DL
帶刻度的滾花旋鈕	H0
帶刻度的滾花旋鈕+ 鎖	HL
- APS 350-SODO-V-G0Q-EX** 密封等級


丁晴橡膠	略
低磨擦丙烯橡膠	L
氟橡膠	V
- APS 350-SODO-V-G0Q-EX** 電氣連接

標準 (插頭, ISO 4400)	略	
帶指示燈的 DIN 插頭	24 VDC	G0Q
	220 VAC/50 Hz	W57
- APS 350-SODO-V-G0Q-EX** 特殊代號


無	Omit
防爆型	EX

接線圖

帶指示燈的 DIN 電接頭壓力繼電器









防爆



壓力繼電器 (全部公制尺寸 mm)

管式	板式連接
<p>APS◆◆◆-P0-D0 / DL</p> <p>Hex 27</p> <p>Adjustable screw-driver socket</p> <p>Locking screw 2.5 Hex</p> <p>1/4" B.S.P.P.</p>	<p>APS◆◆◆-S0-D0 / DL</p> <p>Adjustable screw-driver socket</p> <p>Locking screw 2.5 Hex</p> <p>O-Ring 7 x 1.5 70° Shore Viton</p> <p>2 Fixing screws M5 x 70 DIN 912-12.9 (must be ordered separately)</p>
<p>APS◆◆◆-P0-H0</p> <p>Hex 27</p> <p>Knurled adjusting knob</p> <p>Locking screw 2.5 Hex</p> <p>1/4" B.S.P.P.</p>	<p>APS◆◆◆-S0-H0</p> <p>Knurled adjusting knob</p> <p>Locking screw 2.5 Hex</p> <p>O-Ring 7 x 1.5 70° Shore Viton</p> <p>2 Fixing screws M5 x 70 DIN 912-12.9 (must be ordered separately)</p>
<p>APS◆◆◆-P0-HL</p> <p>Hex 27</p> <p>1/4" B.S.P.P.</p>	<p>APS◆◆◆-S0-HL</p> <p>O-Ring 7 x 1.5 70° Shore Viton</p> <p>2 Fixing screws M5 x 70 DIN 912-12.9 (must be ordered separately)</p>

板式 90° 安裝式	面板安裝式
<p>APS◆◆◆-SA-D0 / DL</p>  <p>O-Ring 7 x 1.5 70° Shore Viton</p> <p>2 Fixing screws M5 x 45 DIN 912-12.9 (must be ordered separately)</p> <p>Adjustable screw- driver socket</p> <p>Locking screw 2.5 Hex</p>	<p>APS◆◆◆-F0-D0 / DL</p>  <p>Adjustable screw- driver socket</p> <p>Hex 27</p> <p>Locking screw 2.5 Hex</p> <p>1/4\" B.S.P.P.</p>
<p>APS◆◆◆-SA-H0</p>  <p>O-Ring 7 x 1.5 70° Shore Viton</p> <p>2 Fixing screws M5 x 45 DIN 912-12.9 (must be ordered separately)</p> <p>Knurled adjusting knob</p> <p>Locking screw 2.5 Hex</p>	<p>APS◆◆◆-F0-H0</p>  <p>Knurled adjusting knob</p> <p>Hex 27</p> <p>Locking screw 2.5 Hex</p> <p>1/4\" B.S.P.P.</p>
<p>APS◆◆◆-SA-HL</p>  <p>O-Ring 7 x 1.5 70° Shore Viton</p> <p>2 Fixing screws M5 x 45 DIN 912-12.9 (must be ordered separately)</p> <p>Knurled ad- justing knob with key-lock</p>	<p>APS◆◆◆-F0-HL</p>  <p>Knurled ad- justing knob with key-lock</p> <p>Hex 27</p> <p>1/4\" B.S.P.P.</p>