

2. 葉片泵

型式	系列	最高壓力 (bar)			最大排量 (ml/rev)			重量	頁次	
		P1	P2	P3	P1	P2	P3	Kg		
中等載荷，單聯	TB	190			40			7.0	2 - 2	
工業用及 行走機械用 (第 2 - 3 頁)	單聯	T7B(S)	320			50			23.0	2 - 10
		T6C	280			100			15.7	
		T6D	240			158			24.0	
		T6E	240			269			43.3	
	雙聯	T7BB(S)	320	320		50	50			2 - 12
		T67CB	280	300		100	50		26.0	
		T6CC	280	280		100	100		26.0	
		T67DB	240	300		158	50		36.6	
		T6DC	240	280		158	100		36.6	
		T6DDS	240	240		158	158		56.0	
		T67EB	240	300		269	50		55.0	
		T6EC	240	280		269	100		55.0	
	三聯	T6ED	240	240		269	158		66.0	2 - 16
		T67DBB	240	300	300	158	50	50	61.0	
		T67DCB	240	280	300	158	100	50	61.0	
		T6DCC	240	280	280	158	100	100	61.0	
		T67DDBS	240	240	300	158	158	50	66.0	
		T6DDCS	240	240	280	158	158	100	66.0	
	單聯尾驅動	T67EDB(S)	240	240	300	269	158	50	100.0	2 - 20
		T6EDC(S)	240	240	280	269	158	100	100.0	
T6CR		280			100			17.1		
雙聯尾驅動	T6DR	240			158			29.0	2 - 22	
	T6ER	240			269			39,1		
三聯尾驅動	T6EE(S)	240	240		269	269		95.0	2 - 24	
	T6DCCR	240	280	280	158	100	100	62.0		
混合型	雙聯	T6EDCR	240	240	280	269	158	100	100.0	2 - 26
		T6H20B	280	300		43	50		37.0	
		T6H20C	280	280		43	100		37.0	
		T6H29B	210	300		62	50		49.0	
		T6H29C	210	280		62	100		49.0	
T6H29D	210	280		62	158		60.0			
尾驅動選項表									2 - 30	
油口選項表									2 - 31	
法蘭閥 C5 & R5 系列									2 - 34	
性能曲線及換/修備選件 (泵芯，傳動軸元件，密封件).....									2 - A1	

葉片泵 - 性能參數及功能極限, 礦物油

定子	規格	ml / rev	礦物油 抗磨液壓油 (HF-0, HF-2)										規格			
			轉速範圍 ¹	最高出油口壓力		最低進油口壓力 (/ rpm)										
				間歇	連續	1200	1500	1800	2100	2200	2300	2500		2800		
			rpm	bar	bar	bar (絕對值)										
B	B02	5.8	600...3600	320	290	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	B02	
	B03	9.8													B03	
	B04	12.8													B04	
	B05	15.9													B05	
	B06	19.8													B06	
	B07	22.5													B07	
	B08	24.9													B08	
	B10	31.8													B10	
	B12	41.0	600...3000	300	275	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.84	1.00	B12
	B15	50.0														280
C	003	10.8	600...2800	280	240	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	003
	005	17.2														005
	006	21.3														006
	008	26.4														008
	010	34.1														010
	012	37.1														012
	014	46.0														014
	017	58.3														017
	020	63.8														020
	022	70.3														022
	025	79.3	025													
	028	88.8	600...2500	210	160	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	028
	031	100.0														031
D	014	47.6	600...2500	240	210	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	014
	017	58.2														017
	020	66.0														020
	024	79.5														024
	028	89.7														028
	031	98.3														031
	035	111.0														035
	038	120.3														038
	042	136.0	042													
	045	145.7	600...2200	210	160	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	045
	050	158.0														050
E	042	132.3	600...2200	240	210	0.80	0.80	0.80	0.90	1.00	-	-	-	-	-	042
	045	142.4														045
	050	158.5														050
	052	164.8														052
	057	179.8														057
	062	196.7														062
	066	213.3														066
	072	227.1	072													
	085	269.0	600...1800	120	80	1.00	1.00	1.00	-	-	-	-	-	-	085	

¹ 轉速低於 600 RPM 時，請向 Denison 公司查詢。

叶片泵 - 性能参数及功能极限, 阻燃液压油

定子	规格	ml / rev	阻燃液压油 水乙二醇溶剂 (HF-4), 磷酸脂 (HF-5)						规格
			转速	最高出油口压力		最低进油口压力 (rpm)			
				间歇	连续	1200	1500	1800	
			rpm	bar	bar	bar (绝对值)			
B	B02	5.8	600...1800	240	210	1.00	1.00	1.00	B02
	B03	9.8							B03
	B04	12.8							B04
	B05	15.9							B05
	B06	19.8							B06
	B07	22.5							B07
	B08	24.9							B08
	B10	31.8							B10
	B12	41.0							B12
	B15	50.0							B15
C	003	10.8	600...1800	210	175	1.00	1.00	1.00	003
	005	17.2							005
	006	21.3							006
	008	26.4							008
	010	34.1							010
	012	37.1							012
	014	46.0							014
	017	58.3							017
	020	63.8							020
	022	70.3							022
	025	79.3							025
	028	88.8							028
031	100.0	160	031						
D	014	47.6	600...1800	210	175	1.00	1.00	1.00	014
	017	58.2							017
	020	66.0							020
	024	79.5							024
	028	89.7							028
	031	98.3							031
	035	111.0							035
	038	120.3							038
	042	136.0						042	
	045	145.7						045	
	050	158.0						160	1.10
E	042	132.3	600...1800	210	175	100	1.00	1.00	042
	045	142.4							045
	050	158.5							050
	052	164.8				1.10	052		
	057	179.8					057		
	062	196.7				1.10	062		
	066	213.3				1.10	1.10	1.20	066
	072	227.1				1.25	1.25	1.25	072
	085	269.0				120	80	1.25	1.25

葉片泵 - 輸出流量及輸入功率

輸入轉速：1000 rpm (礦物油, HF-0 / HF-2, 粘度為 24 cSt)

定子	規格	ml / rev	輸出流量 (l/min)							輸入功率 (kW)							規格
			0 bar	70 bar	140 bar	210 bar	240 bar	280 bar	320 bar	7 bar	70 bar	140 bar	210 bar	240 bar	280 bar	320 bar	
B	B02	5.8	5.8	4.9	4.2	3.3				0.2	0.9	1.7	2.5				B02
	B03	9.8	9.8	8.9	8.2	7.3	6.8	6.3	5.8	0.2	1.3	2.6	3.9	4.5	5.2	6.0	B03
	B04	12.8	12.8	11.9	11.2	10.3	9.8	9.3	8.8	0.2	1.7	3.3	5.0	5.7	6.6	7.6	B04
	B05	15.9	15.9	15.0	14.3	13.4	12.9	12.4	11.9	0.3	2.1	4.1	6.0	6.9	8.1	9.2	B05
	B06	19.8	19.8	18.9	18.2	17.3	16.8	16.3	15.8	0.3	2.5	5.0	7.4	8.5	9.9	11.3	B06
	B07	22.5	22.5	21.6	20.9	20.0	19.5	19.0	18.5	0.4	2.8	5.6	8.3	9.6	11.2	12.8	B07
	B08	24.9	24.9	24.0	23.3	22.4	21.9	21.4	20.9	0.4	3.1	6.2	9.2	10.5	12.3	14.0	B08
	B10	31.8	31.8	30.9	30.2	29.3	28.8	28.3	27.8	0.5	3.9	7.8	11.6	13.3	15.5	17.7	B10
	B12	41.0	41.0	40.1	39.4	38.5	38.0	37.5		0.6	5.0	9.9	14.8	17.0	19.8		B12
	B15	50.0	50.0	49.1	48.4	47.5	47.0	46.5		0.7	6.0	12.0	18.0	20.6	24.0		B15
C	003	10.8	10.8	8.3	5.8					0.9	2.2	3.7					
	005	17.2	17.2	14.7	12.2	9.7	9.2			1.0	3.0	5.2	7.4	8.4			
	006	21.3	21.3	18.8	16.3	13.8	13.3	12.2		1.0	3.4	6.1	8.9	10.0	11.5		006
	008	26.4	26.4	23.9	21.4	18.9	18.4	17.3		1.1	4.0	7.3	10.6	12.0	13.9		008
	010	34.1	34.1	31.6	29.1	26.6	26.1	25.0		1.2	4.9	9.1	13.3	15.1	17.5		010
	012	37.1	37.1	34.6	32.1	29.6	29.1	28.0		1.2	5.3	9.8	14.4	16.3	18.9		012
	014	46.0	46.0	43.5	41.0	38.5	38.0	36.9		1.3	6.3	11.9	17.5	19.9	23.1		014
	017	58.3	58.3	55.8	53.3	50.8	50.3	49.2		1.5	7.8	14.8	21.8	24.8	28.8		017
	020	63.8	63.8	61.3	58.8	56.3	55.8	54.7		1.5	8.4	16.0	23.7	27.0	31.4		020
	022	70.3	70.3	67.8	65.3	62.8	62.3	61.2		1.6	9.2	17.6	26.0	29.6	34.4		022
	025	79.3	79.3	76.8	74.3	71.8	71.3	70.2		1.7	10.2	19.7	29.2	33.2	38.6		025
	028	88.8	88.8	86.3	83.8	81.3				1.8	11.3	21.9	32.5				028
031	100.0	100.0	97.5	95.0	92.5				2.0	12.6	24.5	36.4				031	
D	014	47.6	47.6	43.6	38.6	34.6	32.6			1.6	6.8	12.5	18.3	20.7			014
	017	58.2	58.2	54.2	49.2	45.2	43.2			1.7	8.0	15.0	22.0	25.0			017
	020	66.0	66.0	62.0	57.0	53.0	51.0			1.8	8.9	16.8	24.7	28.1			020
	024	79.5	79.5	75.5	70.5	66.5	64.5			1.9	10.5	20.0	29.4	33.5			024
	028	89.7	89.7	85.7	80.7	76.7	74.7			2.0	11.7	22.3	33.0	37.5			028
	031	98.3	98.3	94.3	89.3	85.3	83.3			2.1	12.7	24.3	36.0	41.0			031
	035	111.0	111.0	107.0	102.0	98.0	96.0			2.3	14.2	27.3	40.5	46.1			035
	038	120.3	120.3	116.3	111.3	107.3	105.3			2.4	15.2	29.5	43.7	49.8			038
	042	136.0	136.0	132.0	127.0	123.0	121.0			2.6	17.1	33.1	49.2	56.1			042
	045	145.7	145.7	141.7	136.7	132.7	130.7			2.7	18.2	35.4	52.6	59.9			045
050	158.0	158.0	154.0	149.0	145.0				2.8	19.6	38.3	56.9				050	
E	042	132.3	132.3	127.3	122.3	117.3	115.3			3.3	17.4	33.0	48.5	55.2			042
	045	142.4	142.4	137.4	132.4	127.4	125.4			3.5	18.6	35.3	52.1	59.3			045
	050	158.5	158.5	153.5	148.5	143.5	141.5			3.6	20.4	39.1	57.7	65.7			050
	052	164.8	164.8	159.8	154.8	149.8	147.8			3.7	21.2	40.6	59.9	68.2			052
	057	179.8	179.8	174.8	169.8	164.8	162.8			3.9	22.9	44.1	65.2	74.2			057
	062	196.7	196.7	191.7	186.7	181.7	179.7			4.1	24.9	48.0	71.1	81.0			062
	066	213.3	213.3	208.3	203.3	198.3	196.3			4.3	26.8	51.9	76.9	87.6			066
	072	227.1	227.1	222.1	217.1	212.1	210.1			4.4	28.4	55.1	81.7	93.1			072
	085	269.0	269.0	264.0						4.9	33.3						085

葉片泵 – 輸出流量及輸入功率

輸入轉速：1500 rpm (礦物油, HF-0 / HF-2, 粘度為 24 cSt)

定子	規格	ml / rev	輸出流量 (l/min)							輸入功率 (kW)							規格
			0 bar	70 bar	140 bar	210 bar	240 bar	280 bar	320 bar	7 bar	70 bar	140 bar	210 bar	240 bar	280 bar	320 bar	
B	B02	5.8	8.7	7.8	7.1	6.2	5.7	5.2	4.7	0.6	1.7	2.8	4.0	4.5	5.2	5.9	B02
	B03	9.8	14.7	13.8	13.1	12.2	11.7	11.2	10.7	0.7	2.4	4.2	6.1	6.9	8.0	9.1	B03
	B04	12.8	19.2	18.3	17.6	16.7	16.2	15.7	15.2	0.7	2.9	5.3	7.7	8.7	10.1	11.5	B04
	B05	15.9	23.9	23.0	22.3	21.4	20.9	20.4	19.9	0.8	3.4	6.4	9.3	10.6	12.3	14.0	B05
	B06	19.8	29.7	28.8	28.1	27.2	26.7	26.2	25.7	0.8	4.1	7.7	11.4	12.9	15.0	17.1	B06
	B07	22.5	33.8	32.9	32.2	31.3	30.8	30.3	29.8	0.5	4.1	8.2	12.3	14.1	16.9	18.8	B07
	B08	24.9	37.4	36.5	35.8	34.9	34.4	33.9	33.4	0.9	5.0	9.5	14.1	16.0	18.6	21.2	B08
	B10	31.8	47.7	46.8	46.1	45.2	44.7	44.2	43.7	1.1	6.2	11.9	17.7	20.1	23.4	26.7	B10
	B12	41.0	61.5	60.6	59.9	59.0	58.5	58.0		1.2	7.8	15.2	22.5	25.7	29.9		B12
	B15	50.0	75.0	74.1	73.4	72.5	72.0	71.5		1.4	9.4	18.3	27.2	31.1	36.2		B15
C	003	10.8	16.2	13.7	11.2	8.7	8.2			1.3	3.3	5.4	7.6	8.5			003
	005	17.2	25.8	23.3	20.8	18.3	17.8	16.7		1.4	4.4	7.7	10.9	12.3	14.1		005
	006	21.3	32.0	29.5	27.0	24.5	24.0	22.9		1.5	5.1	9.1	13.1	14.8	17.0		006
	008	26.4	39.6	37.1	34.6	32.1	31.6	30.5		1.6	6.0	10.9	15.8	17.8	20.6		008
	010	34.1	51.2	48.7	46.2	43.7	43.2	42.1		1.7	7.3	13.6	19.8	22.5	26.0		010
	012	37.1	55.7	53.2	50.7	48.2	47.7	46.6		1.7	7.9	14.6	21.4	24.3	28.1		012
	014	46.0	69.0	66.5	64.0	61.5	61.0	59.9		1.9	9.4	17.7	26.1	29.6	34.3		014
	017	58.3	87.5	85.0	82.5	80.0	79.5	78.4		2.1	11.6	22.0	32.5	37.0	42.9		017
	020	63.8	95.7	93.2	90.7	88.2	87.7	86.6		2.2	12.5	24.0	35.4	40.3	46.8		020
	022	70.3	105.5	103.0	100.5	98.0	97.5	96.4		2.3	13.7	26.2	38.8	44.2	51.3		022
	025	79.3	119.0	116.5	114.0	111.5	111.0	109.9		2.5	15.2	29.4	43.5	49.6	57.6		025
028	88.8	133.2	130.7	128.2	125.7				2.7	16.9	32.7	48.5				028	
031	100.0	150.0	147.5	145.0	142.5				2.9	18.9	36.6	54.4				031	
D	014	47.6	71.4	67.4	62.4	58.4	56.4			2.3	10.0	18.5	27.0	30.7			014
	017	58.2	87.3	83.3	78.3	74.3	72.3			2.5	11.8	22.2	32.6	37.0			017
	020	66.0	99.0	95.0	90.0	86.0	84.0			2.7	13.2	24.9	36.7	41.7			020
	024	79.5	119.3	115.3	110.3	106.3	104.3			2.9	15.6	29.7	43.7	49.8			024
	028	89.7	134.6	130.6	125.6	121.6	119.6			3.1	17.4	33.2	49.1	55.9			028
	031	98.3	147.5	143.5	138.5	134.5	132.5			3.2	18.9	36.2	53.6	61.1			031
	035	111.0	166.5	162.5	157.5	153.5	151.5			3.4	21.1	40.7	60.3	68.7			035
	038	120.3	180.5	176.5	171.5	167.5	165.5			3.6	22.7	43.9	65.2	74.3			038
	042	136.0	204.0	200.0	195.0	191.0	189.0			3.9	25.5	49.4	73.4	83.7			042
	045	145.7	218.6	214.6	209.6	205.6	203.6			4.0	27.2	52.8	78.5	89.5			045
050	158.0	237.0	233.0	228.0	224.0				4.3	29.3	57.1	85.0				050	
E	042	132.3	198.5	193.5	188.5	183.5	181.5			5.2	26.2	49.4	72.7	82.7			042
	045	142.4	213.6	208.6	203.6	198.6	196.6			5.4	27.9	52.9	78.0	88.8			045
	050	158.5	237.8	232.8	227.8	222.8	220.8			5.7	30.7	58.6	86.5	98.4			050
	052	164.8	247.2	242.2	237.2	232.2	230.2			5.8	31.8	60.8	89.8	102.2			052
	057	179.8	269.7	264.7	259.7	254.7	252.7			6.0	34.5	66.0	97.6	111.2			057
	062	196.7	295.1	290.1	285.1	280.1	278.1			6.3	37.4	71.9	106.5	121.3			062
	066	213.3	320.0	315.0	310.0	305.0	303.0			6.6	40.3	77.8	115.2	131.3			066
	072	227.1	340.7	335.7	330.7	325.7	323.7			6.9	42.7	82.6	122.5	139.6			072
	085	269.0	403.5	398.5						7.6	50.1						085

葉片泵 – 輸出流量及輸入功率

輸入轉速：1200 rpm (礦物油, HF-0 / HF-2, 粘度為 24 cSt)

定子	規格	ml / rev	輸出流量 (l/min)							輸入功率 (kW)							規格
			0 bar	70 bar	140 bar	210 bar	240 bar	280 bar	320 bar	7 bar	70 bar	140 bar	210 bar	240 bar	280 bar	320 bar	
B	B02	5.8	7.0	6.1	5.4	4.5	4.0			0.4	1.3	2.2	3.2	3.6			B02
	B03	9.8	11.8	10.9	10.2	9.3	8.8	8.3	7.8	0.4	1.8	3.3	4.9	5.5	6.4	7.3	B03
	B04	12.8	15.4	14.5	13.8	12.9	12.4	11.9	11.4	0.5	2.2	4.2	6.1	6.9	8.1	9.2	B04
	B05	15.9	19.1	18.2	17.5	16.6	16.1	15.6	15.1	0.5	2.7	5.0	7.4	8.4	9.8	11.2	B05
	B06	19.8	23.8	22.9	22.2	21.3	20.8	20.3	19.8	0.6	3.2	6.1	9.1	10.3	12.0	13.7	B06
	B07	22.5	27.0	26.1	25.4	24.5	24.0	23.5	23.0	0.4	3.4	6.6	9.9	11.4	13.3	15.2	B07
	B08	24.9	29.9	29.0	28.3	27.4	26.9	26.4	25.9	0.6	3.9	7.6	11.2	12.8	14.8	16.9	B08
	B10	31.8	38.2	37.3	36.6	35.7	35.2	34.7	34.2	0.7	4.9	9.5	14.1	16.1	18.7	21.4	B10
	B12	41.0	49.2	48.3	47.6	46.7	46.2	45.7		0.9	6.2	12.1	18.0	20.5	23.9		B12
	B15	50.0	60.0	59.1	58.4	57.5	57.0	56.5		1.0	7.4	14.6	21.7	24.8	28.9		B15
C	003	10.8	13.0	10.5	8.0					1.1	2.6	4.4					003
	005	17.2	20.6	18.1	15.6	13.1	12.6	11.5		1.1	3.5	6.2	8.8	10.0	11.5		005
	006	21.3	25.6	23.1	20.6	18.1	17.6	16.5		1.2	4.1	7.3	10.5	11.9	13.8		006
	008	26.4	31.7	29.2	26.7	24.2	23.7	22.6		1.3	4.8	8.7	12.7	14.4	16.6		008
	010	34.1	40.9	38.4	35.9	33.4	32.9	31.8		1.4	5.9	10.9	15.9	18.1	20.9		010
	012	37.1	44.5	42.0	39.5	37.0	36.5	35.4		1.4	6.3	11.7	17.2	19.5	22.6		012
	014	46.0	55.2	52.7	50.2	47.7	47.2	46.1		1.5	7.6	14.2	20.9	23.8	27.6		014
	017	58.3	70.0	67.5	65.0	62.5	62.0	60.9		1.7	9.3	17.7	26.1	29.7	34.5		017
	020	63.8	76.6	74.1	71.6	69.1	68.6	67.5		1.8	10.0	19.2	28.4	32.3	37.6		020
	022	70.3	84.4	81.9	79.4	76.9	76.4	75.3		1.9	11.0	21.0	31.1	35.5	41.2		022
	025	79.3	95.2	92.7	90.2	87.7	87.2	86.1		2.0	12.2	23.6	34.9	39.8	46.3		025
028	88.8	106.6	104.1	101.6	99.1				2.1	13.5	26.2	38.9				028	
031	100.0	120.0	117.5	115.0	112.5				2.3	15.1	29.4	43.6				031	
D	014	47.6	57.1	53.1	48.1	44.1	42.1			1.8	8.0	14.9	21.8	24.8			014
	017	58.2	69.8	65.8	60.8	56.8	54.8			1.9	9.5	17.9	26.3	29.9			017
	020	66.0	79.2	75.2	70.2	66.2	64.2			2.1	10.6	20.1	29.6	33.6			020
	024	79.5	95.4	91.4	86.4	82.4	80.4			2.2	12.5	23.9	35.2	40.1			024
	028	89.7	107.6	103.6	98.6	94.6	92.6			2.4	13.9	26.7	39.5	45.0			028
	031	98.3	118.0	114.0	109.0	105.0	103.0			2.5	15.1	29.1	43.1	49.1			031
	035	111.0	133.2	129.2	124.2	120.2	118.2			2.7	16.9	32.7	48.5	55.2			035
	038	120.3	144.4	140.4	135.4	131.4	129.4			2.8	18.2	35.3	52.4	59.7			038
	042	136.0	163.2	159.2	154.2	150.2	148.2			3.0	20.4	39.7	59.0	67.2			042
	045	145.7	174.8	170.8	165.8	161.8	159.8			3.2	21.7	42.4	63.0	71.9			045
050	158.0	189.6	185.6	180.6	176.6				3.3	23.5	45.8	68.2				050	
E	042	132.3	158.8	153.8	148.8	143.8	141.8			4.0	20.8	39.5	58.3	66.3			042
	045	142.4	170.9	165.9	160.9	155.9	153.9			4.1	22.2	42.4	62.5	71.2			045
	050	158.5	190.2	185.2	180.2	175.2	173.2			4.3	24.5	46.9	69.3	78.9			050
	052	164.8	197.8	192.8	187.8	182.8	180.8			4.4	25.4	48.6	71.9	81.9			052
	057	179.8	215.8	210.8	205.8	200.8	198.8			4.6	27.5	52.8	78.2	89.1			057
	062	196.7	236.0	231.0	226.0	221.0	219.0			4.9	29.8	57.6	85.3	97.2			062
	066	213.3	256.0	251.0	246.0	241.0	239.0			5.1	32.2	62.2	92.3	105.2			066
	072	227.1	272.5	267.5	262.5	257.5	255.5			5.3	34.1	66.1	98.1	111.8			072
	085	269.0	322.8	317.8						5.9	40.0						085

葉片泵 – 輸出流量及輸入功率

輸入轉速：1800 rpm (礦物油, HF-0 / HF-2, 粘度為 24 cSt)

定子	規格	ml / rev	輸出流量 (l/min)							輸入功率 (kW)							規格
			0 bar	70 bar	140 bar	210 bar	240 bar	280 bar	320 bar	7 bar	70 bar	140 bar	210 bar	240 bar	280 bar	320 bar	
B	B02	5.8	10.4	9.5	8.8	7.9	7.4	6.9	6.4	0.7	2.0	3.4	5.0	5.6	6.4	7.2	B02
	B03	9.8	17.6	16.7	16.0	15.1	14.6	14.1	13.6	0.8	2.8	5.1	7.5	8.5	9.7	11.0	B03
	B04	12.8	23.0	22.1	21.4	20.5	20.0	19.5	19.0	0.9	3.4	6.4	9.4	10.6	12.3	13.9	B04
	B05	15.9	28.6	27.7	27.0	26.1	25.6	25.1	24.6	0.9	4.1	7.7	11.3	12.8	14.9	16.9	B05
	B06	19.8	35.6	34.7	34.0	33.1	32.6	32.1	31.6	1.0	4.9	9.3	13.8	15.7	18.1	20.6	B06
	B07	21.0	40.5	39.6	38.9	38.0	37.5	37.0	36.5	0.6	4.9	9.8	14.6	16.8	20.4	22.4	B07
	B08	24.9	44.8	43.9	43.2	42.3	41.8	41.3	40.8	1.1	6.0	11.5	17.0	19.3	22.4	25.5	B08
	B10	31.8	57.2	56.3	55.6	54.7	54.2	53.7	53.2	1.3	7.4	14.4	21.3	24.3	28.2	32.1	B10
	B12	41.0	73.8	72.9	72.2	71.3	70.8	70.3		1.5	9.4	18.2	27.1	30.9	35.9		B12
	B15	50.0	90.0	89.1	88.4	87.5	87.0	86.5		1.7	11.3	22.0	32.8	37.4	43.5		B15
C	003	10.8	19.4	16.9	14.4	11.9	11.4	10.3		1.7	4.0	6.4	8.9	10.0	11.5		003
	005	17.2	31.0	28.5	26.0	23.5	23.0	21.9		1.9	5.3	9.1	13.0	14.6	16.8		005
	006	21.3	38.3	35.8	33.3	30.8	30.3	29.2		1.9	6.2	10.8	15.6	17.6	20.3		006
	008	26.4	47.5	45.0	42.5	40.0	39.5	38.4		2.1	7.2	13.0	18.8	21.3	24.6		008
	010	34.1	61.4	58.9	56.4	53.9	53.4	52.3		2.2	8.9	16.2	23.6	26.8	31.0		010
	012	37.1	66.8	64.3	61.8	59.3	58.8	57.7		2.3	9.5	17.5	25.5	29.0	33.6		012
	014	46.0	82.8	80.3	77.8	75.3	74.8	73.7		2.5	11.4	21.2	31.1	35.4	41.0		014
	017	58.3	104.9	102.4	99.9	97.4	96.9	95.8		2.7	13.9	26.4	38.9	44.2	51.4		017
	020	63.8	114.8	112.3	109.8	107.3	106.8	105.7		2.8	15.1	28.7	42.3	48.2	56.0		020
	022	70.3	126.5	124.0	121.5	119.0	118.5	117.4		3.0	16.5	31.4	46.4	52.9	61.5		022
	025	79.3	142.7	140.2	137.7	135.2	134.7	133.6		3.2	18.4	35.2	52.1	59.3	69.0		025
028	88.8	159.8	157.3	154.8	152.3				3.4	20.3	39.2	58.1				028	
031	100.0	180.0	177.5	175.0	172.5				3.6	22.7	43.9	65.1				031	
D	014	47.6	85.7	81.7	76.7	72.7	70.7			2.9	12.1	22.3	32.5	36.9			014
	017	58.2	104.8	100.8	95.8	91.8	89.8			3.1	14.4	26.8	39.2	44.5			017
	020	66.0	118.8	114.8	109.8	105.8	103.8			3.3	16.0	30.1	44.1	50.1			020
	024	79.5	143.1	139.1	134.1	130.1	128.1			3.6	18.8	35.7	52.6	59.9			024
	028	89.7	161.5	157.5	152.5	148.5	146.5			3.8	21.0	40.0	59.0	67.2			028
	031	98.3	176.9	172.9	167.9	163.9	161.9			4.0	22.8	43.6	64.5	73.4			031
	035	111.0	199.8	195.8	190.8	186.8	184.8			4.2	25.4	49.0	72.5	82.5			035
	038	120.3	216.5	212.5	207.5	203.5	201.5			4.4	27.4	52.9	78.3	89.2			038
	042	136.0	244.8	240.8	235.8	231.8	229.8			4.8	30.7	59.5	88.2	100.5			042
	045	145.7	262.3	258.3	253.3	249.3	247.3			5.0	32.7	63.5	94.3	107.5			045
050	158.0	284.4	280.4	275.4	271.4				5.2	35.3	68.7	102.1				050	
E	042	132.3	238.1	233.1	228.1	223.1	221.1			6.4	31.5	59.4	87.3	99.4			042
	045	142.4	256.3	251.3	246.3	241.3	239.3			6.6	33.6	63.7	93.7	106.6			045
	050	158.5	285.3	280.3	275.3	270.3	268.3			6.9	37.0	70.4	103.9	118.2			050
	052	164.8	296.6	291.6	286.6	281.6	279.6			7.1	38.3	73.1	107.8	122.8			052
	057	179.8	323.6	318.6	313.6	308.6	306.6			7.4	41.5	79.4	117.3	133.6			057
	062	196.7	354.1	349.1	344.1	339.1	337.1			7.7	45.0	86.5	127.9	145.7			062
	066	213.3	383.9	378.9	373.9	368.9	366.9			8.1	48.5	93.4	138.4	157.7			066
	072	227.1	408.8	403.8	398.8	393.8	391.8			8.4	51.4	99.2	147.1	167.6			072
	085	269.0	484.2	479.2						9.2	60.2						085

混合泵 – 產品性能參數及功能極限

系列	最大排量 (ml/rev) / 最高壓力 (bar)									
	0	25	50	75	100	125	150	175	200	
T6H20B	P1	250		43						
	P2	6	300		280	50				
T6H20C	P1	250		43						
	P2	11			280	210	210	100		
T6H29B	P1	250		62						
	P2	6	300		280	50				
T6H29C	P1	250		62						
	P2	11			280	210	210	100		
T6H29D	P1	250		62						
	P2			48			240	158		

定子	規格	ml / rev	礦物油				阻燃液壓油				規格								
			抗磨液壓油 (HF-0, HF-2)				水乙二醇 (HF-4), 磷酸脂 (HF-5)												
			轉速範圍	最高輸出壓力		最低吸口壓力 ¹	轉速範圍	最高輸出壓力		最低吸口壓力 ¹									
				間歇	連續			間歇	連續										
rpm	bar	bar	bar	rpm	bar	bar	bar												
	T6H20		600...2600	250	230	0.80	600...1800	175	140	1.00									
	T6H29		600...2400	230	210	0.80	600...1800	175	140	1.00									
B	B02	5.8	600...2600	320	290	0.80	600...1800	240	210	1.00	B02								
	B03	9.8									B03								
	B04	12.8									B04								
	B05	15.9									B05								
	B06	19.8									B06								
	B07	21.0									B07								
	B08	24.9									B08								
	B10	31.8									B10								
B12	41.0	600...2600	300	275	0.80	600...1800	240	210	1.00	B12									
B15	50.0		280	240						B15									
C	003	10.8	600...2600	280	240	0.80	600...1800	210	175	1.00	003								
	005	17.2									005								
	006	21.3									006								
	008	26.4									008								
	010	34.1									010								
	012	37.1									012								
	014	46.0									014								
	017	58.3									017								
	020	63.8									020								
	022	70.3									022								
	025	79.3									025								
	028	88.8									600...2500	210	160	0.80	600...1800	210	175	1.00	028
031	100.0	160	0.85	160	1.10	031													
D	014	47.6	600...2500	240	210	0.80	600...1800	210	175	1.00	014								
	017	58.2									017								
	020	66.0									020								
	024	79.5									024								
	028	89.7									028								
	031	98.3									031								
	035	111.0									035								
	038	120.3									038								
	042	136.0									042								
	045	145.7									600...2200	210	160	0.85	600...1800	210	175	1.10	045
	050	158.0																	160

¹ 僅限於 1800 RPM。更高的轉速，請向 Denison 公司查詢。


































尾驅動泵選型表 (單聯泵) (T6ER-066-1R00-B10-A1)

































尾驅動泵		前驅動泵			
系列	尾驅動泵 訂貨號	T6CR	T6DR	T6ER	前驅動泵 訂貨號
PV/PVT6	PV/PVT6-1R◆◆-...	●	●	●	T6◆R-◆◆◆-◆R◆◆-A2◆-...
PV/PVT10	PV/PVT10-1R◆◆-...	●	●	●	T6◆R-◆◆◆-◆R◆◆-B2◆-...
PV/PVT15	PV/PVT15-1R◆◆-...	●	●	●	T6◆R-◆◆◆-◆R◆◆-B2◆-...
	PV/PVT15-4R◆◆-...				T6◆R-◆◆◆-◆R◆◆-B3◆-...
PV/PVT20	PV/PVT20-1R◆◆-...		●	●	T6◆R-◆◆◆-◆R◆◆-C4◆-...
PV/PVT29	PV/PVT29-1R◆◆-...		●	●	T6◆R-◆◆◆-◆R◆◆-C4◆-...
PVT38	PVT38-1R◆◆-...		●	●	T6◆R-◆◆◆-◆R◆◆-C4◆-...
PVT47	PVT47-1R◆◆-...				
TB	TB-◆◆◆-4R◆◆-...	●	●	●	T6◆R-◆◆◆-◆R◆◆-A5◆-...
T6C	T6C-◆◆◆-3R◆◆-...	●	●	●	T6◆R-◆◆◆-◆R◆◆-B2◆-...
	T6C-◆◆◆-4R◆◆-...				T6◆R-◆◆◆-◆R◆◆-B3◆-...
T6D/E	T6◆-◆◆◆-3R◆◆-...		●	●	T6◆R-◆◆◆-◆R◆◆-C4◆-...
T6CC	T6CC-◆◆◆-◆◆◆-3R◆◆-...	●	●	●	T6◆R-◆◆◆-◆R◆◆-B3◆-...
	T6CC-◆◆◆-◆◆◆-5R◆◆-...				T6◆R-◆◆◆-◆R◆◆-B2◆-...
T6DC	T6DC-◆◆◆-◆◆◆-3R◆◆-...		●	●	T6◆R-◆◆◆-◆R◆◆-C4◆-...
T6EC/ED	T6◆◆-◆◆◆-◆◆◆-3R◆◆-...			●	T6◆R-◆◆◆-◆R◆◆-C4◆-...
	T6◆◆-◆◆◆-◆◆◆-4R◆◆-...				T6◆R-◆◆◆-◆R◆◆-C4◆-...
T6DCC	T6DCC-◆◆◆-◆◆◆-◆◆◆-3R◆◆-...		●	●	T6◆R-◆◆◆-◆R◆◆-C4◆-...
T7BS	T7BS-◆◆◆-3R◆◆-...	●	●	●	T6◆R-◆◆◆-◆R◆◆-B2◆-...
	T7BS-◆◆◆-4R◆◆-...				T6◆R-◆◆◆-◆R◆◆-B3◆-...
T7BBS	T7BBS-◆◆◆-◆◆◆-3R◆◆-...	●	●	●	T6◆R-◆◆◆-◆R◆◆-B2◆-...
	T7BBS-◆◆◆-◆◆◆-4R◆◆-...				T6◆R-◆◆◆-◆R◆◆-B3◆-...
T6H20◆	T6H20◆-◆◆◆-4R◆◆-...	●	●	●	T6◆R-◆◆◆-◆R◆◆-B4◆-...
T6H29◆	T6H29◆-◆◆◆-3R◆◆-...		●	●	T6◆R-◆◆◆-◆R◆◆-C4◆-...
最大尾驅動扭矩 (N.m)		見第 21 頁			

尾驅動泵選型表 (雙聯泵) (T6EE-066-045-1R00-A10-A1)









尾驅動泵		前驅動泵		
系列	尾驅動泵 訂貨號	T6EE	T6EES	前驅動泵 訂貨號
PV/PVT10	PV/PVT10-1R◆◆-...	●	●	T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆2-...
PV15	PV15-1R◆◆-...	●	●	T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆2-...
PVT15	PVT15-1R◆◆-...	●	●	T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆2-...
	PVT15-4R◆◆-...			T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆3-...
T7BS	T7BS-◆◆◆-3R◆◆-...	●	●	T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆2-...
	T7BS-◆◆◆-4R◆◆-...			T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆3-...
T6C	T6C-◆◆◆-3R◆◆-...	●	●	T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆2-...
	T6C-◆◆◆-4R◆◆-...			T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆3-...
T7BBS	T7BBS-◆◆◆-◆◆◆-3R◆◆-...	●	●	T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆2-...
	T7BBS-◆◆◆-◆◆◆-4R◆◆-...			T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆3-...
T67CB	T67CB-◆◆◆-◆◆◆-3R◆◆-...	●	●	T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆2-...
	T67CB-◆◆◆-◆◆◆-5R◆◆-...			T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆3-...
T6CC	T6CC-◆◆◆-◆◆◆-3R◆◆-...	●	●	T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆2-...
	T6CC-◆◆◆-◆◆◆-5R◆◆-...			T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆3-...
T6H20◆	T6H20◆-◆◆◆-4R◆◆-...	●	●	T6EE-◆◆◆-◆◆◆-◆R◆◆-A◆3-...
最大尾驅動扭矩 (N.m)		聯軸器 SAE-B (型號 2) : 343 聯軸器 SAE-BB (型號 3) : 545		

油口佈置 (雙聯泵) T6CC-025-020-1R00-C100

選型表								
	所有的雙聯葉片泵				T6CC, T6DC, T6EC T67CB, T67DB, T67EB T7BB			
	00 P1,P2 	12 P1 S P2 	05 P1 S,P2 	15 P1 S P2 	16 P1 P2 S 	17 P1 S P2 	18 P1 P2 S 	19 P2 P1 S 
		11 P2 S P1 	01 P1 S P2 	04 P1 S,P2 	10 P2 S P1 	23 P2 S P1 	20 P1 S P2 	21 P1 P2 S 
		08 P2 S,P1 	09 P2 S,P1 	02 P2 S,P1,P2 	07 P2 S,P1 	26 P2 S,P1 	27 P2 S,P1 	24 P2 S,P1 
		13 P2 S P1 	14 P1 S P2 	06 P1 S,P2 	03 P1 P2 S 	29 P2 S P1 	30 P1 S P2 	31 P1 P2 S 

油口代號									
00 P1,P2 S 	01 P1 P2 S 	02 S,P1,P2 	03 P1 P2 S 	04 P1 S,P2 	05 P1 S,P2 	06 P1 S,P2 	07 P2 S,P1 	08 P2 S,P1 	09 P2 S,P1 
10 P2 S P1 	11 P2 S P1 	12 P1 S P2 	13 P2 S P1 	14 P1 S P2 	15 P1 S P2 	16 P1 P2 S 	17 P1 S P2 	18 P1 P2 S 	19 P2 P1 S 
20 P1 S P2 	21 P1 S P2 	22 P2 S P1 	23 P2 S P1 	24 P2 S,P1 	25 P2 S,P1 	26 P2 S,P1 	27 P2 S,P1 	28 P1 S P2 	29 P1 S P2 
30 P1 S P2 	31 P1 S P2 								

油口 (混合泵) T6H20C-020-1R1B-F00-2M1-00

順時針 				
	T6H20B/C, T6H29B/C	10	12	14
	T6H29D	10	11	12
逆時針 				
	T6H20B/C, T6H29B/C	00	02	04
	T6H29D	00	01	02

油口 (三聯泵)..... T6EDC-072-025-020-1R00-A1F0


油口代號：選型表

		00	77	36	78	11	79	37	76
P1 S									
P1 S									
S, P1									
P1 S									

附頁 - 油口佈置

油口代號									
00	01	02	03	04	05	06	07	08	09
P1, P2, P3 S	P1, P2, P3 S	S, P1, P2, P3	P1, P2, P3 S	P1 S, P2, P3	P1 S, P2, P3	P1 S, P2, P3	P2, P3 S, P1	P2, P3 S, P1	P2, P3 S, P1
10	11	12	13	14	15	16	17	18	19
P2, P3 S	P1, P2 S, P3	P1, P2 S, P3	P1, P3 S, P2	P1, P2, P3 S	P1, P2, P3 S, P2	P3 S, P1, P2	P3 S, P1, P2	P3 S, P1, P2	P2 S, P1, P3
20	21	22	23	24	25	26	27	28	29
P2 S, P1, P3	P2 S, P1, P3	P1, P2 S, P3	P2, P3 S	P1 S	P1 S	P2, P3 S	P1, P3 S, P2	P3 S, P1	P3 S, P1
30	31	32	33	34	35	36	37	38	39
P2 S, P1	P2 S, P1	P2, P3 S, P1	P2, P3 S, P1	P1, P2 S	P1, P2 S	P1, P2 S	P1, P2 S	P3 S	P3 S
40	41	42	43	44	45	46	47	48	49
P3 S, P1	P3 S, P1	P1, P3 S, P2	P1, P3 S	P2 S	P2 S	P3 S, P2	P3 S, P2	P2 S, P3	P2 S, P3
50	51	52	53	54	55	56	57	58	59
P1 S, P2	P1 S, P2	P1 S, P3	P1 S, P3	P3 S, P2	P1 S, P2	P2 S, P3	P1 S, P3	P3 S	P2 S
60	61	62	63	64	65	66	67	68	69
P1 S	P2 S	P1 S	P3 S	P3 S	P1 S	P1 S	P1 S	P3 S, P2	P1 S, P2
70	71	72	73	74	75	76	77	78	79
P1 S, P2	P1 S, P2	P3 S	P1 S	P1 S	P1 S	P3 S	P1, P2 S	P1, P2 S	P1, P2 S
80	81	82	83	84	85	86	87	88	89
P3 S	P3 S	P1 S	P1 S	P1 S	P1 S	P2 S	P2 S	P3 S, P2	P1 S, P2
90	91	92	93	94	95	96	97	98	99
P1 S, P2	P1 S, P2	P1 S, P2	P1 S, P2	P1 S	P1 S	P1 S	P1 S	P2 S	P1 S
1A	1B	1C	1D	1E	1F	1G	1H	1J	1K
P2 S, P1	P2 S, P1	P3 S, P1	P2 S, P1	P2 S, P1	P2 S, P1	P2 S, P1	P2 S, P1	S, P1, P2	S, P1, P2
1L	1M	1N	1P	1R	1S	1T	1U	1V	1W
P3 S, P1, P2	P3 S, P1, P2	P2 S	P2 S	P2 S	P2 S	P2 S	P2 S	P2 S	P2 S
1X	1Y	1Z	2A	2B	2C	2D	2E		
P3 S, P2	P1 S, P2	P1 S, P2	P3 S, P2	P1 S	P1 S	P1 S	P1 S		

葉片泵 - 性能曲線



葉片泵 - 定子和泵芯

定子規格		工業用泵芯 ¹												
		R (順時針)	L (逆時針)	R (順時針)	L (逆時針)	R (順時針)	L (逆時針)	R (順時針)	L (逆時針)	R (順時針)	L (逆時針)	R (順時針)	L (逆時針)	
B		T7B(S)		T7BB(S)		T7B(S), T67CB, T67DBB, T67DCB, T6H29B		T67DB, T67EB		T67DBB				
B03	034-66909	S24-50144	S24-50145	S24-58078	S24-58079	S24-50610	S24-50611	S24-51513	S24-51514	S24-59709	S24-59710			
B03	034-66910	S24-50146	S24-50147	S24-58080	S24-58081	S24-50612	S24-50613	S24-51515	S24-51516	S24-59711	S24-59712			
B04	034-66911	S24-50148	S24-50149	S24-58082	S24-58083	S24-50614	S24-50615	S24-51517	S24-51518	S24-59713	S24-59714			
B05	034-66912	S24-50150	S24-50151	S24-58084	S24-58085	S24-50616	S24-50617	S24-51519	S24-51520	S24-59715	S24-59716			
B06	034-66913	S24-50152	S24-50153	S24-58086	S24-58087	S24-50618	S24-50619	S24-51521	S24-51522	S24-59717	S24-59718			
B07	034-67063	S24-59970	S24-59971	S24-59974	S24-59975	S24-59907	S24-59908	S24-59972	S24-59973	S24-59976	S24-59977			
B08	034-66914	S24-50154	S24-50155	S24-58088	S24-58089	S24-50620	S24-50621	S24-51523	S24-51524	S24-59719	S24-59720			
B09														
B10	034-66915	S24-50156	S24-50157	S24-58090	S24-58091	S24-50622	S24-50623	S24-51525	S24-51526	S24-59721	S24-59722			
B11														
B12	034-67032	S24-59005	S24-59006	S24-59013	S24-59014	S24-59009	S24-59010	S24-59017	S24-59018	S24-59723	S24-59724			
B14														
B15	034-67034	S24-59007	S24-59008	S24-59015	S24-59016	S24-59011	S24-59012	S24-59019	S24-59020	S24-59725	S24-59726			
C		T6C		T6CC, T67CB		T6DC, T6EC		T6DCC, T67DCB		T6CC, T6DCC, T6EDC, T6DDC, T6H29C		T6CR		
C03	034-59050	S24-10692	S24-10693	S24-10731	S24-10732	S24-10767	S24-10768	S24-25551	S24-25561	S24-10749	S24-10750	S24-26354	S24-26353	
C05	034-59051	S24-10694	S24-10695	S24-10733	S24-10734	S24-10769	S24-10770	S24-25552	S24-25562	S24-10751	S24-10752	S24-26356	S24-26355	
C06	034-59052	S24-10696	S24-10697	S24-10735	S24-10736	S24-10771	S24-10772	S24-25553	S24-25563	S24-10753	S24-10754	S24-26358	S24-26357	
C08	034-50953	S24-10698	S24-10699	S24-10737	S24-10738	S24-10773	S24-10774	S24-25554	S24-25564	S24-10755	S24-10756	S24-26360	S24-26359	
C10	034-59054	S24-10721	S24-10722	S24-10739	S24-10740	S24-10775	S24-10776	S24-25555	S24-25565	S24-10757	S24-10758	S24-26362	S24-26361	
C12	034-66595	S24-26478	S24-26479	S24-26509	S24-26510	S24-26480	S24-26481	S24-26484	S24-26485	S24-26482	S24-26483	S24-26383	S24-26382	
C14	034-59206	S24-10723	S24-10724	S24-10741	S24-10742	S24-10777	S24-10778	S24-25556	S24-25566	S24-10759	S24-10760	S24-26364	S24-26363	
C17	034-59207	S24-10725	S24-10726	S24-10743	S24-10744	S24-10779	S24-10780	S24-25557	S24-25567	S24-10761	S24-10762	S24-26366	S24-26365	
C20	034-66607	S24-26859	S24-26860	S24-26853	S24-26854	S24-40234	S24-40235	S24-40352	S24-40353	S24-31023	S24-40032	S24-31885	S24-50391	
C22	034-59208	S24-10727	S24-10728	S24-10745	S24-10746	S24-10781	S24-10782	S24-25558	S24-25568	S24-10763	S24-10764	S24-26368	S24-26367	
C25	034-59209	S24-10729	S24-10730	S24-10747	S24-10748	S24-10783	S24-10784	S24-25559	S24-25569	S24-10765	S24-10766	S24-26370	S24-26369	
C28	034-59245	S14-97761	S24-25519	S24-25510	S14-97738	S14-97722	S24-25791	S24-25560	S24-25570	S24-25547	S24-25546	S24-26372	S24-26371	
C31	034-66843	S24-45785	S24-45786	S24-45787	S24-45788	S24-45789	S24-45790	S24-45773	S24-45774	S24-45771	S24-45772	S24-49442	S24-49443	
D		T6D, T6DR, T6DCC, T67DBB, T67DCB,		T6DC, T67DB, T6DD, T6DDC		T6ED, T6EDC, T67EDB		T6DD, T6DDC, T6H29D						
D14	034-66708	S24-33849	S24-40598	S24-40791	S24-40792	S24-40795	S24-40796	S24-58160	S24-58161					
D17	034-67028	S24-59955	S24-58997	S24-63800	S24-63801	S24-68491	S24-68492	S24-59677	S24-72348					
D20	034-66596	S24-26486	S24-26487	S24-26490	S24-26491	S24-26492	S24-26493	S24-58262	S24-58163					
D24	034-59294	S14-97784	S24-25544	S24-25891	S24-25892	S24-25893	S24-25894	S24-58164	S24-58165					
D28	034-59133	S24-10837	S24-10838	S24-10849	S24-10850	S24-10861	S24-10862	S24-58166	S24-58167					
D31	034-59135	S24-10839	S24-10840	S24-10851	S24-10852	S24-10863	S24-10864	S24-58168	S24-58169					
D35	034-59137	S24-10841	S24-10842	S24-10853	S24-10854	S24-10865	S24-10866	S24-58170	S24-58171					
D38	034-59139	S24-10843	S24-10844	S24-10855	S24-10856	S24-10867	S24-10868	S24-58172	S24-58173					
D42	034-59132	S24-10845	S24-10846	S24-10857	S24-10858	S24-10869	S24-10870	S24-58174	S24-58175					
D45	034-59131	S24-10847	S24-10848	S24-10859	S24-10860	S24-10871	S24-10872	S24-58176	S24-58177					
D50	034-66737	S24-40028	S24-40029	S24-40236	S24-40237	S24-40387	S24-40388	S24-58178	S24-58195					
D61	034-67127	S24-63983	S24-63984	S24-63962	S24-63963	S24-63952	S24-63953	請詢 Denison 公司						
E		T6E, T6ER		T67EB, T6EC, T6ED, T6EE, T6EDC, T67EDB		T6EE								
E42	034-66899	S24-49388	S24-49389	S24-49390	S24-49391	S24-69054	S24-69055							
E45	034-59164	S24-10177	S24-10178	S24-10205	S24-10206	S24-69056	S24-69057							
E50	034-66744	S24-40645	S24-40766	S24-40769	S24-40770	S24-69058	S24-69059							
E52	034-59165	S24-10179	S24-10180	S24-10207	S24-10208	S24-69060	S24-69061							
E57		請向 Denison 公司查詢												
E62	034-59166	S24-10181	S24-10182	S24-10209	S24-10210	S24-69062	S24-69063							
E66	034-59167	S24-10183	S24-10184	S24-10211	S24-10212	S24-69064	S24-69065							
E72	034-66736	S24-40026	S24-40027	S24-40375	S24-40376	S24-69066	S24-69067							
E85	034-67030	S24-58998	S24-58999	S24-59352	S24-68983	S24-69068	S24-69069							

¹ 密封等級：S**-*****-0 = 丁晴橡膠 (標準), S**-*****-4 = EPR, S**-*****-5 = 氟橡膠

葉片泵 - 定子和泵芯

定子規格		行走機械用泵芯 ¹											
		R (順時針)	L (逆時針)	R (順時針)	L (逆時針)	R (順時針)	L (逆時針)	R (順時針)	L (逆時針)	R (順時針)	L (逆時針)	R (順時針)	L (逆時針)
CM		T6^{CM}		T6^{CCM}		T6^{DCM} T6^{ECM}		T6^{DCCM}		T6^{CCM} T6^{DCCM} T6^{EDCM} T6^{H20C} T6^{H29C}		T6^{CRM}	
B03	034-59050	S24-30097	S24-30098	S24-40150	S24-40151	S24-40175	S24-40176	S24-40505	S24-40506	S24-40200	S24-40201	S24-44646	S24-44647
B05	034-59051	S24-30099	S24-30100	S24-40152	S24-40153	S24-40177	S24-40178	S24-40507	S24-40508	S24-40202	S24-40203	S24-44648	S24-44649
B06	034-59052	S24-30101	S24-30102	S24-40154	S24-40155	S24-40179	S24-40180	S24-40509	S24-40510	S24-40204	S24-40205	S24-44650	S24-44651
B08	034-50953	S24-30103	S24-30104	S24-40156	S24-40157	S24-40181	S24-40182	S24-40511	S24-40512	S24-40206	S24-40207	S24-44652	S24-44653
B10	034-59054	S24-30105	S24-30106	S24-40158	S24-40159	S24-40183	S24-40184	S24-40513	S24-40514	S24-40208	S24-40209	S24-44654	S24-44655
B12	034-66595	S24-30107	S24-30108	S24-40160	S24-40161	S24-40185	S24-40186	S24-40515	S24-40516	S24-40210	S24-40211	S24-44656	S24-44657
B14	034-59206	S24-30109	S24-30110	S24-40162	S24-40163	S24-40187	S24-40188	S24-40517	S24-40518	S24-40212	S24-40213	S24-44658	S24-44659
B17	034-59207	S24-30111	S24-30112	S24-40164	S24-40165	S24-40189	S24-40190	S24-40519	S24-40520	S24-40214	S24-40215	S24-44660	S24-44661
B20	034-66607	S24-30113	S24-30114	S24-40166	S24-40167	S24-40191	S24-40192	S24-40521	S24-40522	S24-40216	S24-40217	S24-44662	S24-44663
B22	034-59208	S24-30115	S24-30116	S24-40168	S24-40169	S24-40193	S24-40194	S24-40523	S24-40524	S24-40218	S24-40219	S24-44664	S24-44665
B25	034-59209	S24-30117	S24-30118	S24-40170	S24-40171	S24-40195	S24-40196	S24-40525	S24-40526	S24-40220	S24-40221	S24-44666	S24-44667
B28	034-59245	S24-30119	S24-30120	S24-40172	S24-40173	S24-40197	S24-40198	S24-40527	S24-40528	S24-40222	S24-40223	S24-44668	S24-44669
B31	034-66843	S24-45791	S24-45792	S24-45793	S24-45794	S24-45795	S24-45796	S24-45777	S24-45778	S24-45775	S24-45776	S24-49345	S24-58015
DM		T6^{DM} T6^{DCCM} T6^{DRM}		T6^{DCM}		T6^{EDM} T6^{EDCM}							
B14	034-66708	S24-40789	S24-40790	S24-40793	S24-40794	S24-40797	S24-40798						
B17	034-67028	S24-63325	S24-64242	S24-64379	S24-64380	S24-68493	S24-68494						
B20	034-66596	S24-30139	S24-30140	S24-40055	S24-40056	S24-40330	S24-40331						
B24	034-59294	S24-30141	S24-30142	S24-40057	S24-40058	S24-40332	S24-40333						
B28	034-59133	S24-30143	S24-30144	S24-40059	S24-40060	S24-40334	S24-40335						
B31	034-59135	S24-30145	S24-30146	S24-40061	S24-40062	S24-40336	S24-40337						
B35	034-59137	S24-30147	S24-30148	S24-40063	S24-40064	S24-40338	S24-40339						
B38	034-59139	S24-30149	S24-30150	S24-40065	S24-40066	S24-40340	S24-40341						
B42	034-59132	S24-30151	S24-30152	S24-40067	S24-40068	S24-40342	S24-40343						
B45	034-59131	S24-30153	S24-30154	S24-40069	S24-40070	S24-40344	S24-40345						
B50	034-66737	S24-40030	S24-40031	S24-40071	S24-40072	S24-40346	S24-40347						
EM		T6^{EM} T6^{ERM}		T6^{ECM} T6^{EDM} T6^{EDCM}									
042	034-66899	S24-49392	S24-49393	S24-49394	S24-49395								
045	034-59164	S24-40014	S24-40015	S24-40377	S24-40378								
050	034-66744	S24-40767	S24-40768	S24-40771	S24-40772								
052	034-59165	S24-40016	S24-40017	S24-40379	S24-40380								
057	034-67360												
062	034-59166	S24-40018	S24-40019	S24-40381	S24-40382								
066	034-59167	S24-40020	S24-40021	S24-40383	S24-40384								
072	034-66736	S24-40022	S24-40023	S24-40385	S24-40386								
085	034-67030	S24-59885	S24-64529	S24-68723	S24-68724								

¹ 密封等級： S**-*****-0 = 丁晴橡膠 (標準), S**-*****-4 = EPR, S**-*****-5 = 氟橡膠

葉片泵 - 換/修備選表

型號	傳動軸組件 ¹						密封件 ²
T7B(S)	#1 : S24-50140	#2 : S24-50142	#3 : S24-50141				S24-49112
T6C, T6CM	#1 : S14-24570	#2 : S14-25645	#3 : S14-24569	#4 : S24-10430			S24-10133
T6D, T6DM	#1 : S14-20084	#2 : S14-25646	#3 : S14-20085	#4 : S14-40835			S24-10138
T6E, T6EM	#1 : S14-28174	#2 : S24-49212	#3 : S14-28173	#4 : S24-00092		#T : S24-33622	S24-10186
T6CR, T6CRM	#1 : S24-26345	#2 : S24-26344	#3 : S24-26346	#4 : S24-26347	#5 : S24-26348		S24-26387
T6DR, T6DRM	#1 : S24-26349	#2 : S24-26350	#3 : S24-26351		#5 : S24-26352		S24-26384
T6ER, T6ERM	#1 : S24-26339		#3 : S24-26361	#4 : S24-26340			S24-26381
T7BB(S)	#1 : S24-63463	#2 : S24-26208	#3 : S24-63464	#4 : S24-63465	#5 : S24-63466		S14-97724
T67CB(W)	#1 : S24-10346		#3 : S24-10348		#5 : S24-10347		S24-10352
T67CBW		#2 : S24-26208					S14-97724
T6CC, T6CCM	#1 : S24-10346		#3 : S24-10348		#5 : S24-10347		S24-10352
T6 逆时针, T6CCMW	#2 : S24-26208	#R : S24-30001	#T : S24-40034	#V : S14-97723	#W : S24-26376	#X : S24-26211	S14-97724
T67DB	#1 : S14-42520	#2 : S14-42521	#3 : S14-42518	#4 : S14-42519	#5 : S24-26206		S24-10170
T6DC, T6DCM	#1 : S14-42520	#2 : S14-42521	#3 : S14-42518	#4 : S14-42519			S24-10170
T6D 顺时针, T6DCMW					#5 : S24-26206	#T : S24-33620	S24-26207
T6DDS	#1 : S24-72352	#2 : S24-72353	#3 : S24-72354	#4 : S24-72355	#5 : S24-72356		S24-72351
T67EB	#1 : S14-28178	#2 : S24-49213	#3 : S14-28176	#4 : S14-28177			S24-10242
T6EC, T6ECM	#1 : S14-28178	#2 : S24-49213	#3 : S14-28176	#4 : S14-28177		#T : S24-33621	S24-10242
T6ED, T6EDM	#1 : S14-28182	#2 : S14-49214	#3 : S14-28180	#4 : S14-28181		#T : S24-40543	S24-10219
T6EE(S)	#1 : S24-69070	#2 : S24-69071	#3 : S24-69072	#4 : S24-69761	#5 : S24-69762		S24-69073
T67DBB	#1 : S24-25571	#2 : S24-25572	#3 : S24-25573	#4 : S24-25574			S24-25575
T67DCB	#1 : S24-25571	#2 : S24-25572	#3 : S24-25573	#4 : S24-25574			S24-25575
T6DCC, T6DCCM	#1 : S24-25571	#2 : S24-25572	#3 : S24-25573	#4 : S24-25574		#6 : S24-40504	S24-25575
T6DDCS	#1 : S24-72358	#2 : S24-72359	#3 : S24-72360	#4 : S24-72361	#5 : S24-72362		S24-72357
T67EDB	#1 : S24-44516						S24-44823
T6EDC, T6EDCM/S	#1 : S24-44516		#3 : S24-44517				S24-44823
T6DCCR							
T6EDCR	#1 : S24-44979		#3 : S24-44978				S24-44977
T6H20B	#1 : S24-72830	#3 : S24-72831	#4 : S24-72832	#5 : S24-72833			S24-72839
T6H20C	#1 : S24-72830	#3 : S24-72831	#4 : S24-72832	#5 : S24-72833			S24-72839
T6H29B	#1 : S24-72700	#3 : S24-72703					S24-59492
T6H29C	#1 : S24-72700	#3 : S24-72703					S24-59492
T6H29D	#1 : S24-72701	#3 : S24-72704					S24-51448
尾部轉接座元件 (鑄鐵座 + 密封件 + 螺栓) ²				SAE-A	SAE-B	SAE-C	
T6CR, T6DR, T6ER / T6CRM, T6DRM, T6ERM				S24-73903	S24-73904	S24-49851	

¹ 軸 + 鍵 + 軸承 + 軸封

² 密封等級：S**-*****-0 = 丁晴橡膠 (標準), S**-*****-4 = EPR, S**-*****-5 = 氟橡膠